



MAREDO® ST series

EN2107

The **MAREDO ST** collection



STrac 700



ST170 FlexFraze-Mower




ST200 Flex-Verticutter



ST210 VibeSpike-Aerator



ST418 VibeDisc-Seeder



More ST heads will follow



Multiple rear wheel positions



Handbrake



Easy accessible controls

Technical specifications:

- 8.5 Hp HONDA Gasoline Engine
- Hydrostatic front wheel drive
- Quick (dis)connect system for **ST** heads
- Hydraulic **ST** head lifting with free float position
- Mechanical **ST** head PTO drive
- PTO with auto-engage option
- Standard with Cruise Control
- Controls on the handle bar
- Multiple rear wheel positions
- Handbrake
- **STrac 700** weight: 245 kg/ 605 lb
- Minimum width: 90 cm/ 35"
- Maximum width: 130 cm/ 51"
- Length: 200 cm/ 79"
- Height: 105 cm/ 41"
- Working width: 66 cm/ 26"

MAREDO STrac 700

Multifunctional walker

One machine, multiple solutions: The **MAREDO ST** series offers a wide range of possibilities. The main role within the **ST** series is for the **STrac 700**. **MAREDO ST** heads can easily be connected to the **STrac 700**.

Whether it is overseeding, aeration, verticutting or turf stripping, it now can all be done with one machine. Just connect the dedicated **MAREDO ST** head to the **STrac's** hydraulic hitch and connect the mechanical PTO drive all without tools needed.

The rear wheels can be set at narrow position: behind the **STrac**. Or wide: beside the **STrac**, for optimal stability and short turning radius. Or choose a combination of both with one wheel behind and one wheel beside the **STrac**.



ST heads are easy to interchange



8.5 HP HONDA engine



ST170 FlexFraise-Mower

- Ideal for removal of uneven and bad spots in grass
- The **ST170** leaves a perfect smooth result ready for overseeding
- Unique **Fraise-Mower** with reverse rotating main shaft (rotation against driving direction)
- Carbide tipped blades for minimal wear
- Unique **MAREDO** technology
- Working depth is adjustable from 0 - 25 mm / 0 - 1" depth
- Working width of 65 cm / 26"
- Heavy Duty, maintenance free, Duplex-chain drive
- Weight of the **ST170**: 70 kg/ 154 lb
- Quick to connect to the MAREDO **STrac 700**




ST200 Flex-Verticutter

- The **ST200 Flex-Verticutter** will remove unwanted organic material in a clean way with only minimal surface disruption
- Using the **ST200** will stimulate new grass growth and will help creating healthy turf
- The **ST200** produces perfect cut slits
- Unique Verticutter/ Scarifier with reverse rotating main shaft. (rotation against driving direction)
- Carbide tipped blades for minimal wear
- Unique **MAREDO** verticut blade design
- Two configurations: 2.3 mm blades at 40 mm spacing or 1.4 mm blades at 30 mm spacing
- Working depth is adjustable from 0 - 25 mm / 0 - 1" depth
- Working width of 65 cm / 26"
- Heavy Duty, maintenance free, Duplex-chain drive
- Weight of the **ST200**: 65 kg / 145 lb
- Quick to connect to the MAREDO **STrac 700**



ST210 VibeSpike-Aerator

- The **ST210 VibeSpike-Aerator** will relieve soil compaction up to 6 cm/ 2.4" depth
- The vibratory spike system will make the spikes penetrate to full depth in compacted surface areas and will relieve soil compaction
- The **ST210** is not just a regular Sarrel-roller thanks to the **ST210's** active aeration system
- The **ST210** is equipped with special hardened 4 mm/ 0.16" steel spikes
- Working width of 65 cm/ 26"
- Hole spacing of 50 mm/ 2"
- Easy adjustable working depth by quick adjusters
- Double V-belt drive
- Weight of the **ST210**: 82 kg/ 180 lb
- Quick to connect to the MAREDO **STrac 700**



ST418 VibeDisc-Seeder

• The **ST418 VibeDisc-Seeder** helps creating strong and resistant turf

• The **ST418** is the first overseeder in its size that actually plants the seed in pre-cut slits

• Vibratory pre-cutting discs create well cut slits at a consistent depth. Depth is adjustable from 0 to -15 mm/0 to -0.6". Slit spacing is 42 mm/1.6"

• V-shaped seeding discs open up the pre-cut slit for the seed to drop right into

• A dosing shaft, driven by the rear roller, will accurately drop the seed into funnels. The **ST418** is ideal for use with all kinds of seed.

• Dosage amount is adjustable and can be set by changing gears in the dosing shaft drive system. Spare gears are standard included. Dosage from 2 to 15 gr/m²

• Seedbox capacity of approximately 6 kg/13 lb

• Working width of 65 cm/ 26"

• Weight of the **ST418**: 90 kg/ 198 lb

• Quick to connect to the MAREDO **STrac 700**





Your **MAREDO** dealer:



Γεωμηχανική Αθηνών

Ίλιος 13, Αγ. Δημήτριος 17341

210 9350054

www.geomechaniki.gr

info@geomechaniki.gr

